



Product Service

# Attestation of Conformity

No. N8A 080695 0401 Rev. 00

**Holder of Certificate:** **Dongguan Guanjin Electronics Technology Co., Ltd.**


Block 16 Qiantou New Industrial Park, Niushan  
Dongcheng District  
523128 Dongguan City, Guangdong Province  
PEOPLE'S REPUBLIC OF CHINA

**Product:** **Adaptors  
(AC ADAPTER)**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 64250200550501

**Date,** 2021-02-02

  
( Michael Xu )

Page 1 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

# Attestation of Conformity

No. N8A 080695 0401 Rev. 00

**Model(s):**

K65Axxxxxywz, K65AxxxxxyE2z, K65BxxxxxyE2z,  
K65CxxxxxyE2z, K65ExxxxxyE2z  
(xxx=120-480 stands for rated output voltage 12.0-48.0VDC; yyy=010-50 stands for rated output current 0.10-5.00A; w= B, G stands for different plug type: B for United Kingdom plug, G for European plug; z=A-Z or blank for marketing purpose.)

**Brand:**

KPTEC

KPTEC®

**Parameters:**

Rated Input: 100-240VAC or 200-240VAC, 50/60Hz, 1.5A

Rated Output: See below table for details

Protection Class: II

Degree of Protection: IP20



Product Service

# Attestation of Conformity

No. N8A 080695 0401 Rev. 00

Model	Rated output voltage range (VDC)	Rated output current range (A)	Max. output power (W)
K65Axxxxxywz, K65AxxxxyyE2z	12.0-16.0	0.10-4.0	50.4
	16.1-20.0	0.10-3.7	60.0
	20.1-27.0	0.10-3.23	65.0
	24.0-30.0	0.10-2.5	60.0
	27.1-34.0	0.10-2.39	65.0
	34.1-41.0	0.10-1.9	65.0
	41.1-48.0	0.10-1.58	65.0
K65CxxxxyyE2z	12.0-16.0	0.10-5.0	65.0
K65ExxxxxyyE2z	24.0-30.0	0.10-2.0	60.0
K65BxxxxyyE2z	16.1-20.0	0.10-3.7	60.0
	20.1-27.0	0.10-3.23	65.0
	24.0-30.0	0.10-2.5	60.0
	27.1-34.0	0.10-2.39	65.0
	34.1-41.0	0.10-1.9	65.0
	41.1-48.0	0.10-1.58	65.0

**Tested  
according to:**

EN IEC 61558-1:2019  
EN 61558-2-16:2009/A1:2013

Page 3 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.